

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jessica Winchester on September 14, 2010. Claim 22 (Renumbered claim 18) depended off canceled claims 21. Claim 22 was supposed to have been canceled in the previous examiner's amendment.

The application has been amended as follows:

Cancel **Claim 22**. (Renumbered Claim 18 from the previous examiner's amendment).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JAN CHRISTOPHER MERENE whose telephone number is (571)270-5032. The examiner can normally be reached on 8 am - 6pm Mon-Thurs, alt Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eduardo Robert can be reached on 571-272-4719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3733

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jan Christopher Merene/

Examiner, Art Unit 3733

/Eduardo C. Robert/

Supervisory Patent Examiner, Art Unit 3733